

(С/С)

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93


PULP FILTER ELEMENT CJC



Cotton/semi-chemical cellulose oil filter element(CJC)

CJC filter insert are produced from unbleached cotton / semi chemical cellulos.

C.C.JENSEN is the global leader in offline oil filtration with decades of experience on the worldwide markets. The CJC filter inserts are produced of 100% natural cellulose fibres from sustainable resources(cotton fiber and / or semi chemical cellulose). - no metal. No plastic, no chemicals.





SINFT can produce two types retrofits of CJC filter inserts. SINFT Filter element a is made of semi chemical cellulose, and cotton fiber or a mixture of cotton fiber and semi chemical cellulose. SINFT filter inserts can reach a very excellent oil filtering function, strong pollution capacity and strong water absorption.

All this series filter inserts have a filtration accuracy of 3 microns. This means that 98.7% of solid particles larger than 3 microns and about 50% of solid particles larger than 0.8 microns can be blocked in one filtration.


With SINFT Oil Filter Inserts you can get clean & dry oil which is the key to reliable system operation. With the unique combination of CJC® Offline Oil Filtration systems, SINFT filter inserts can do a best combination with the highest Contamination Holding Capacity on the market.

Dirt Holding Capacity Creates Value:

3-micron filtration	Example 1	Example 2
Filter Insert Type	Competitive pleated filter 	SINFT retrofits CJC filter inserts 
Cost of elements vs.	1*USD	4*USD
Dirt holding capacity	0.100kg	4kg
Cost per kg removed contamination	10*USD per KG	1*USD per KG

1. Filter Inserts have the highest dirt holding capacity.
2. The unique construction of the bonded discs creates a large filtration area resulting in reduced costs.
3. The Filter Inserts are a modular design, which allows them to fit any applications and requirements.

SINFT alternative filter inserts can meet specifications from OEM on oil cleanliness.



Increase lifetime of both oil and system components :

Removal of contaminants includes particles, Oil degradation products, water, and Acidity. Remember to change the Filter Inserts according to pressure gauge or at least once a year in order to ensure clean & dry oil!

SINFT retrofits filter inserts can be used in CJC filter and play an important role in the application.

TYPE	FOR UNITS	SIZES	DESCRIIPTION	APPLICATION FOR OIL TYPES
SFT-A	HDU	15/27 27/27	Thick smooth discs/high viscosity oils & dry oil	Hydraulic, lube, turbine, polyglycol
SFT-B	HDU	15/25 27/27	Has edges on each disc	Hydraulic, lube, turbine, gear, quenching
SFT-BLA	HDU PTU	15/25 27/27	"B" made out of acrylic coated cotton/ much water	Water, cleaning fluid, oil/water emulsions
SFT-BLAT	PTU	27/27	BLA top&bottom disc smooth/much water contamination	Hydraulic, turbine, gear
SFT-BLDA	HDU	27/27	BLA made with demineralized water	Water glyocel
F	PTU	15/25 27/27	Smooth tapered disc/low viscosity oils/mild water contamination	Diesel, gas





→

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	